



UWL REPOSITORY

repository.uwl.ac.uk

A novel approach for emotion detection and sentiment analysis for low resource Urdu language based on CNN-LSTM

Ullah, Farhat, Chen, Xin, Shah, Syed Bilal Hussain, Mahfoudh, Saoucene, Hassan, Muhammad Abul and Saeed, Nagham ORCID: <https://orcid.org/0000-0002-5124-7973> (2022) A novel approach for emotion detection and sentiment analysis for low resource Urdu language based on CNN-LSTM. Electronics, 11 (24). p. 4096.

<http://dx.doi.org/10.3390/electronics11244096>

This is the Published Version of the final output.

UWL repository link: <https://repository.uwl.ac.uk/id/eprint/9683/>

Alternative formats: If you require this document in an alternative format, please contact: open.research@uwl.ac.uk




Copyright: Creative Commons: Attribution 4.0

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy: If you believe that this document breaches copyright, please contact us at open.research@uwl.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

Article

A Novel Approach for Emotion Detection and Sentiment Analysis for Low Resource Urdu Language Based on CNN-LSTM

Farhat Ullah ¹, Xin Chen ¹, Syed Bilal Hussain Shah ^{2,*}, Saoucene Mahfoudh ², Muhammad Abul Hassan ^{3,*} and Nagham Saeed ⁴

¹ School of Automation, China University of Geosciences, Wuhan 430074, China

² School of Computing and Informatics, Dar Al-Hekma University, Jeddah 22246, Saudi Arabia

³ Department of Information Engineering and Computer Science, University of Trento, 38122 Trento, Italy

⁴ School of Computing and Engineering, University of West London, London W5 5RF, UK

* Correspondence: sshah@dah.edu.sa (S.B.H.S.); muhammadabul.hassan@unitn.it (M.A.H.);

Tel.: +92-3414-340624 (M.A.H.)

Abstract: Emotion detection (ED) and sentiment analysis (SA) play a vital role in identifying an individual's level of interest in any given field. Humans use facial expressions, voice pitch, gestures, and words to convey their emotions. Emotion detection and sentiment analysis in English and Chinese have received much attention in the last decade. Still, poor-resource languages such as Urdu have been mostly disregarded, which is the primary focus of this research. Roman Urdu should also be investigated like other languages because social media platforms are frequently used for communication. Roman Urdu faces a significant challenge in the absence of corpus for emotion detection and sentiment analysis because linguistic resources are vital for natural language processing. In this study, we create a corpus of 1021 sentences for emotion detection and 20,251 sentences for sentiment analysis, both obtained from various areas, and annotate it with the aid of human annotators from six and three classes, respectively. In order to train large-scale unlabeled data, the bag-of-words, term frequency-inverse document frequency, and Skip-gram models are employed, and the learned word vector is then fed into the CNN-LSTM model. In addition to our proposed approach, we also use other fundamental algorithms, including a convolutional neural network, long short-term memory, artificial neural networks, and recurrent neural networks for comparison. The result indicates that the CNN-LSTM proposed method paired with Word2Vec is more effective than other approaches regarding emotion detection and evaluating sentiment analysis in Roman Urdu. Furthermore, we compare our based model with some previous work. Both emotion detection and sentiment analysis have seen significant improvements, jumping from an accuracy of 85% to 95% and from 89% to 93.3%, respectively.

Keywords: emotion detection; sentiment analysis; Roman Urdu; machine learning; deep learning



Citation: Ullah, F.; Chen, X.; Shah, S.B.H.; Mahfoudh, S.; Hassan, M.A.; Saeed, N. A Novel Approach for Emotion Detection and Sentiment Analysis for Low Resource Urdu Language Based on CNN-LSTM. *Electronics* **2022**, *11*, 4096. <https://doi.org/10.3390/electronics11244096>

Academic Editors: Yu-Chen Hu, Praveen Kumar Donta, Piyush Kumar Pareek and Chinmaya Kumar Dehury

Received: 1 November 2022

Accepted: 4 December 2022

Published: 8 December 2022

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2022 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

1. Introduction

Nowadays, Electronic Data Extraction Techniques (EDET) have become commonplace, extending from instant messaging apps to automated archives with millions of data. The increase in data has given rise to numerous new difficulties. However, one effort is being made to automatically classify some of this textual information to make it easier for users to retrieve, analyze, and edit data to generate patterns and knowledge. Many individuals and businesses are becoming interested in organizing enormous amounts of electronic data into categories. Text classification (TC) is the only way to solve this challenge. TC is the process of organizing text into predetermined groups. It makes use of a wide variety of expertise, such as artificial intelligence (AI), natural language processing (NLP), machine learning (ML), and deep learning (DL). This technique relies on supervised learning (SL), in which

we “train” a model by feeding it a massive quantity of information. TC has a wide range of applications, including emotion recognition (ER), topic modelling (TP), sentiment analysis (SA), intent detection (ID), and spam detection (SD). ED strongly influences the extent to which an individual is invested in a field, and this is especially true in contexts where humans use nonverbal cues such as gestures [1], facial expressions [2], voice pitch [3], and the choice of words to explain their emotions [4]. SA offers an overview of public opinions expressed by people through blogs and reviews about a specific event, object, activity, topic, product, and service, which may be a huge boon to making the right choices. The terms SA and opinion mining (OM) are increasingly being used interchangeably to refer to the same topic of study, namely the identification of polarity and emotion in online discussions. In general, emotion is defined as a powerful sensation, such as compassion, passion, anxiety, joy, or sorrow, whereas sentiment is the general polarity.

Emotion and SA classifications using English and other different language text data with abundant resources have received considerable attention. However, because there are not enough corpora with labels, emotion and SA categorization have not been thoroughly explored in languages with limited resources, such as Urdu. More than 100 million individuals worldwide consider Urdu their first language. Urdu, the language spoken officially in Pakistan, is of the Indo-Aryan family. In addition, Urdu is widely spoken in both India and Bangladesh. They do it by posting emotional messages in Urdu across a variety of social media sites [5,6]. Because of Urdu’s complicated morphology, ED and SA are more challenging than English. Urdu is difficult to understand due to a variety of issues. Its free word order, rich morphology, and multidimensional spelling are among them. This makes the job of Urdu SA and ED even more difficult. Due to the reasons above, ED and SA methods created for other languages are not necessarily applicable to Urdu. Figure 1 shows a translation from Urdu to Roman Urdu and English.




Figure 1. Translation from Urdu to Roman Urdu and English.

Although text can transmit a wide range of emotions, psychologists have focused on the most fundamental of these categories. Keltner et al. [7] investigated the six primary emotions of love, joy, fear, anger, disgust, and surprise, while Plutchik [8] proposed a list of eight primary emotions that included aspiration and trust. Our study focuses on five emotions: fear, happiness, anger, sadness, and love. If an instance lacks these emotions, we label it neutral. Many methods for classifying emotions have been developed by researchers, incorporating lexicon-based techniques (LBTs). This example shows how LBTs struggle to handle the complex nature of opinions. To deal with the complexity and failure of lexicon-based approaches, our main contributions are as follows:

- Labelled sentences for ED and SA were collected from the different sites, with additional labels added manually.
- Finally, the five most common emotions in Urdu, which we call Urdu emotion detection (UED), are the focus of our contribution (happiness, sadness, fear, anger, and love). Furthermore, for sentiment analysis, our contribution is to focus on positive and negative sentences.
- Quality control of a corpus can be achieved by using an inter-annotator agreement to validate the accuracy of the annotated data.

- A DL-based model for identifying ED and SA in corpora is proposed, as well as a word-embedding method for the corpus.

The remainder of the paper is organized as follows: The literature on the various ED and SA corpora and the various methodologies used to categorize them, will be discussed in Section 2. Section 3 discusses the experimental setting, whereas Section 4 presents our findings and analyses from multiple perspectives. Finally, Section 5 brings our efforts to a close and outlines our plans for the future.

2. Literature Review

In this section, we will briefly discuss sentiment and emotion analysis and then discuss some related work. As a development of sentiment analysis, emotion analysis is described as a linguistic procedure for recognizing emotions expressed in written material. According to Yadollahi et al. [9], sentiment and emotion have a strong association in which one can form an opinion about anything based on their feelings, and the opposite is also true. Numerous emotions exist, each one corresponding to a distinct range of human experiences. These distinct feelings have an impact on how people act. The ED corpus is a multilingual database of textual information encompassing both English and Urdu, and its contributions have been explored in the literature. Table 1 provides seven sections that summarize previous research on emotion recognition: author name, Models Applied, Purpose, Contribution, Result, Language, and Limitation.

Table 1. Emotion Detection Previous Literature Review.

Author Name	Models Applied	Purpose	Contribution	Accuracy	Language	Limitations
Rabail et al. [10]	NB, SVC, LR, RF, KNN, SVCL	Features classification	Provide dataset for other researchers	55%	Roman Urdu	Low accuracy
Jonathan Herzig et al. [11]	SVM	Features classification	Low computational power	62%	English	Used small data set and achieved less accuracy
Adil Majeed et al. [12]	KNN, DT, RF, SVM	Features classification	Compared different classifier models	69.4%	Roman Urdu	Achieved 69.4% accuracy
Raza Ali [13]	LSTM, CNN, LR, RF, SVM	Features classification	Improved accuracy	73%	Roman Urdu	The result can be improved
Kevin et al. [14]	Survey	To introduce NLP to social researchers	Demonstrate the limitations of NLP tools	75%	English	Not deeply demonstrated
Yves Bestgen [15]	SVM	Features classification	Correctly classified emotion	78%	English	The achieved accuracy is low
Sara Durrani [16]	SAVEE, EMOO, IEMOCAP	Features classification	Improved accuracy	80.34%	English	Need to check in other low languages
Maryam et al. [17]	NB, SVM, DT	Features classification	Comparative analysis	90%	English	Still, accuracy needs to improve
Noman Ashraf et al. [18]	CNN, LSTM	Features classification	Improved accuracy to some extent	90%	Urdu	A not good representation of corpus
Muhammad et al. [19]	LSTM, MLP, BI-LSTM	Features classification	Improved accuracy	90.2%	Urdu	Still, accuracy needs to improve
Abdul et al. [20]	SMO, DT, SVM	Classification	Improved accuracy	92%	English	Need to extract more sensitive information
Taimoor et al. [21]	LSTM, CNN	Classification	Take the initiative for hierarchal data	94%	Urdu	Time complexity
Usama Khalid et al. [22]	Bilingual models	Classification	Used to defeat multilingual modeling	95%	English, Roman Urdu	Face complexity in the downstream task

Sentiment analysis (SA) generates an overview of the public thoughts expressed by people about a specific activity. SA combines NLP and Data Mining techniques which significantly aid in effective decision-making. SA and other developing fields are often used interchangeably to detect polarity and emotions. Sentiment analysis is a three-level classification procedure. These are the sentence level, the aspect level, and the document level. Using sentence-level sentiment analysis, each sentence is assigned a positive, negative, or neutral sentiment label. Aspect-level sentiment analysis is accomplished by assigning positive or negative evaluations to the entities' features. At the document level, the entire document is regarded as a single topical unit of basic information. The document is termed as positive if there are more positive sentences than negative sentences; it is termed as negative if there are more negative sentences than positive ones. Table 2 shows the previous literature on sentiment analysis.

Table 2. Sentiment Analysis Previous Literature Review.

Author Name	Models Applied	Purpose	Contribution	Accuracy	Language	Limitations
Faiza et al. [23]	SVM	Feature Classification	Classified eCommerce site	60%	Roman Urdu	Need to improve accuracy
Neelam et al. [24]	SVM, KNN	Feature Classification	Improved accuracy	80.6%	English	Used small dataset
Yang et al. [25]	Survey	Classification	Improved accuracy	82.5%	English	Need to improve accuracy
Md et al. [26]	K-NN, NB, DT	Classification	Suggested social media dataset	90%	English	Used small dataset
Hussain et al. [27]	RNN, LSTM.	Model comparison	An efficient model for SA	92%	Roman Urdu	Used small dataset
Huniya et al. [28]	SVM, kNN, DT, etc.	Classification	Compared classification models	93%	Roman Urdu/Hindi	Need features selection with large data
Nazish et al. [29]	SLR	Compare different models	Explored previous studies	N/A	Urdu	Further analysis is needed
L.khan et al. [30]	CNN-LSTM	Classification	Improved accuracy	90%	English/Roman Urdu	More research is required to improve the outcome.
C.Octavian et al. [31]	CNN-BiLSTM, LSTM, BiGRU	Classification	Improved accuracy	75.60	Contextual Cues	Other embeddings methods with the same model must be tested.

Early, accurate and immediate diagnosis of malaria detection and prediction using conventional methods are deemed ineffective because of their approaches, which include the necessity of time-intensive and poor performance. Moreover, limitations of previous studies using ML and DL are related to the small size of the datasets used and the limited number of features without the process of feature selection. It has been observed that the provided dataset has a high imbalance between emotions detection and sentiment analysis cases.

3. Proposed Methodology

The following content provides an overview of the proposed system for data annotation with each part of the dataset framework explained in Figure 2. The suggested model collects raw data from various sources and cleans it up in a pre-processing stage to eliminate

duplicates, URL links, new lines, and consistency in spelling. Annotators provide the data for annotation after it has been pre-processed, in which emotion labels are assigned to the data. In addition, we use count vectorization to extract features from the data, and then we split the dataset into a training set and a testing set. After feature extraction, the deep learning models convolution neural network (CNN) are trained with LSTM on training data and then tested. The Adam optimizer assesses the model and fine-tunes it for the best performance.




Figure 2. Explain Data Annotation Technique.

3.1. Pre-Processing

A raw corpus from multiple web sources has space limits, erroneous characters, improper formats, noise errors, etc. So, we cleaned and changed the data into the proper format before applying a classification algorithm to the processed corpus. Figure 3 depicts the proposed methodology processing steps, with the following details below:




Figure 3. Proposed Methodology for Emotion Detection and Sentiment Analysis.

3.1.1. Noise Removal

The results of an emotion analysis task may be impacted by the presence of non-emotional characters such as the @ symbol, the # sign, microblog expressions (ME), HTML tags, URL links, new lines, and so on. A deletion or replacement strategy can be employed for these data. Regular expression erases all characters except microblog expressions, which are substituted with Roman Urdu text (RUT).

3.1.2. Spelling Uniformity

There are various spelling variations for the same term because the basic spelling guidelines for Roman Urdu are not specified. We randomly picked a corpus and manually labelled sentences with multiple versions to measure the diversity in pronunciation in Roman Urdu. All sentences are measured using these terms.

3.1.3. Space Problem

Space insertion and deletion difficulties are also common in Roman Urdu writing. When the text is entered casually, a word is wrongly split into two different words, although it is the correct term.

3.2. Data Annotation

In this phase, we want to automate Roman Urdu text with emotion detection and sentiment analysis. An emotion-labelled corpus was required for this task. Table 3 displays the six primary emotions that make up the emotional spectrum. However, as seen in Table 4, three distinct classes make up what is known as sentiment analysis. As is normal practice, the annotated data sets are generated by trained professionals. These were the rules that we requested the annotators to follow for emotion detection.

1. Assign a class to a given sentence from one of the six categories of emotion described above.
2. If the given sentence has no instances of the emotion class, it should be marked as neutral.
3. If a sentence is linked to several emotions, then the context determines which emotions are closest.

Table 3. Selected Emotion Examples with Label.

S.NO	Emotion	Relation	Label
1.	Happy	Feeling or showing pleasure or contentment	Assigning label 1
2.	Sad	Feeling or showing sorrow; unhappy	Assigning label 2
3.	Anger	Something you feel has deliberately done you wrong	Assigning label 3
4.	Love	Characterized by intimacy, passion, and commitment	Assigning label 4
5.	Fear	Natural, powerful, and primitive human emotion	Assigning label 5
6.	Neutral	Other categories	Assigning label 6

For sentiment analysis, we request annotators to follow these rules:

1. Assign a class to a given sentence from one of the three categories of sentiment described above.
2. If the given sentence has no instances in the positive or negative class, it should be annotated as neutral.
3. The context determines the closest feelings if an example belongs to both defined classes.

Table 4. Sentiment Analysis Examples with Label.

S.NO	Emotion	Relation	Label
1.	Positive	Happy or excited	Positive
2.	Negative	Angry, annoyed, or frustrated	Negative
3.	Natural	Seem satisfied but do not express	Assigning label 3

We used keyword-based data generation for emotion detection and sentiment analysis to uncover other emotion-related sentences. To begin, we discovered many keywords for each emotion detection, as shown in Table 5. Then, depending on those keywords, we extracted sentences and sent them to annotators.

Table 5. Keywords Sample for Emotion Detection.

Emotion	HAPPY			SAD		
	Roman Urdu	English	Urdu	Roman Urdu	English	Urdu
1	Shandar	Glorious	شاندار	Moat	Death	موت
2	Faida	Benefit	فائدہ	Preshan	Anxiety	بی چینی
3	itmad	Confidence	اعتماد	Dhamakha	Blast	دھماکہ
4	Behteen	Excellent	بہترین	udasi	Sorrow	اداسی
5	Mazak	Joke	مذاق	Bimar	Sick	بیمار
6	pur kashish	Attractive	پر کشش	khudkashi	Suicide	خودکشی
7	fakhr	Pride	فخر	nuqsan	Loss	نقصان
8	inam	Prize	انعام	burai	Evil	برائی
Emotion	Fear			Anger		
	Roman Urdu	English	Urdu	Roman Urdu	English	Urdu
1	Khof Zadah	Scared	ڈرا ہوا	Jarhana	Aggressive	جارحانہ
2	Khoofnaq	Dreadful	خوفناک	tashadud	Violence	تشدد
3	Bitarteeb	Unsettled	بی ترتیب	Antiqame	Retaliation	انتقامی
4	Beitimadi	Distrustful	بی اعتمادی	Ghussa	Rage	غصہ
5	Kanpna	Shudder	کانپنا	Larna	Fight	لڑنا
6	Darpok	Timid	ڈرپوک	Dushmani	Hostility	دشمنی
7	Ghermahfooz	Insecure	غیر محفوظ	thaparmarna	Slapped	تھپڑ مارا
8	Kheran	Shocked	حیران	Nafratangez	Hateful	نفرت انگیز
Emotion	Neutral			Love		
	Roman Urdu	English	Urdu	Roman Urdu	English	Urdu
1	Muft	Free	مفت	Muhabat	Love	محبت
2	assan	Easy	آسان	tarif karen	Admire	تعریف کر س
3	heran	Amazed	حیران	jazbah	Passion	جذبہ
4	praatmad	Confident	پر اعتماد	hamdardi	Sympathy	ہمدردی
5	qasam	Kind	قسم	romania	Romantic	رومانوی
6	Qabool	Receptive	قبول	metha	Sweet	مٹھا
7	Dilchaspi	Interested	دلچسپی	mukhlis	Sincere	مخلص
8	samaj	Understanding	سمجھ	khoobsurat	Pretty	خوبصورت

The same as emotion detection, we also discovered a large number of keywords for sentiment analysis, as shown in Table 6. Then, depending on those keywords, we extracted sentences and sent them to annotators.

Table 6. Positive and Negative Keywords Sample for Sentiment Analysis.

Emotion	Positive			Negative		
	Roman Urdu	English	Urdu	Roman Urdu	English	Urdu
1	Itmeenan	Satisfaction	اطمینان	Darna	Afraid	ڈرنا
2	Benafsi	Altruism	بی نفسی	alarm	Alarm	الارم
3	Madad	Relief	مدد	Naraz	Annoyed	ناراض
4	Piyar	Affection	پیار	bor	Bored	بور
5	Khush mazaji	Cheerfulness	خوش مزاجی	Talah	Bitter	تلخ
6	Tareef	Admiration	تعریف	Zabardasti	Coercive	زبردستی
7	Josh	Euphoria	جوش	Aljao	Confusion	الجهاء
8	Qinat	Contentment	قناعت	Tauheen	Contempt	توہین

3.3. Validation of Corpus

A significant portion of this work was carried out using the corpus validation approach. Eliminating misleading or unclear records for sentiment analysis and emotion detection is the main motivation. In many cases of outliers, the training set could be misleading if such entries were left in. During the annotation phase, the annotator is given each input randomly and asked to label it with one of six possible emotional states. Additionally, when the annotator cannot identify the appropriate emotional class, an additional condition is imposed for an unclear situation. Each sentence is reviewed by many different annotators, as explained in Equations (1) and (2). Assuming an emotion label is valid if a group of annotators all uses the same label. At the conclusion of annotations, if not all group members vote in favour, the corresponding entry is eliminated from the corpus.

$$V_{\text{Data}} = f(\sum_{i=1}^n < \text{lim}) \quad (1)$$

$$V_D = \sum_{\text{Data}}^n \text{Anno}_v \text{ agree (or)} \sum_{\text{Data}}^n \text{Anno}_v \neq \text{agree} \quad (2)$$

3.4. Feature Extraction

Three methods are used to extract features: term frequency and inverse document frequency (Tf-idf), count vectorization, and word embeddings. Count vectorization uses our vocabulary dimensions to create vectors. When a word is used in a sentence, it is assigned a dimension. Each time that word is used, one is added. Tf-idf deals with how often a word appears in a sentence and how significant its occurrences are. Tf-idf is calculated using two measures: a word's frequency in the sentence and its inverse frequency with other words shown in Equations (2)–(13). Computers are unable to read and comprehend textual information created by humans. Furthermore, we use a word embedding technique to translate the Urdu textual data into a numerical vector form suitable for a machine's data processing.

Explanation: Information theory can be used to develop term frequency and inverse document frequency (tf-idf). Understanding why their product has value in terms of the combined informative content of a document is helpful. Equation (3) is a defining assumption regarding the distribution $p(d, t)$. In the case where a document in the data D contains a specific phrase, t , the conditional entropy of the document is Equations (4)–(7).

In addition, in the context of the notation, D and T are referred to as “random variables,” where D stands for “draw a document” and T stands for “term.” The knowledge shared between parties can be represented by Equations (8)–(10). The last thing that needs to be done is to enlarge P_t , which stands for the unconditional probability of drawing a term, regarding the arbitrary selection of a document in Equations (11)–(13).

$$p(d|t) = \frac{1}{|\{d \in D : t \in d\}|} \quad (3)$$

$$H(D|T = t) = - \sum_d P_{d|t} \log P_{d|t} \quad (4)$$

$$- \log \frac{1}{|\{d \in D : t \in d\}|} \quad (5)$$

$$- \log \frac{|\{d \in D : t \in d\}|}{|D|} + \log |D| \quad (6)$$

$$- \text{idf}(t) + \log |D| \quad (7)$$

$$M(T; D) = H(D) - H(D|T) \quad (8)$$

$$\sum_t P_t \cdot (H(D) - H(D|W = t)) \quad (9)$$

$$\sum_t P_t \cdot \text{idf}(t) \quad (10)$$

$$M(T; D) = \sum_{t,d} P_{t|d} \cdot p_{d|t} \cdot \text{idf}(t) \quad (11)$$

$$M(T; D) = \sum_{t,d} \text{tf}(t, d) \cdot \frac{1}{D} \cdot \text{idf}(t) \quad (12)$$

$$= \frac{1}{D} \sum_{t,d} \text{tf}(t, d) \cdot \text{idf}(t) \quad (13)$$

Google’s Word2Vec is a popular word vector tool based on CBOW and skip-gram models. Word vectors are trained using the skip-gram model (SGM) on substantial unmarked data, and these vectors are then used as inputs to the proposed model. Two primary methodologies can be used to build and deploy a likelihood and negative sampling in the skip-gram neural network model (NEG). The suggested model uses the likelihood approach, and its mathematical representation can be found in [14–25].

The primary concept that underlies the algorithm is that to begin, we initially choose a random value for each word in the vocabulary’s vector. After placing all the context words at position t , we use the Equation (14) to determine which context words are most likely to occur given the center word. To simplify the process of finding derivatives and turning this equation into a minimisation problem, all we need to do is take the log of the equation and multiply it by -1 . This will allow us to calculate the negative log-likelihood in Equation (15). Since we have included the logarithm in the equation, it is time to switch from multiplication to addition in Equation (16).

$$L(\theta) = \prod_{T=1}^T \prod_{-m \leq j \leq m} P(W_t + j | W_t; \theta) \quad (14)$$

$$j(\theta) = -\frac{1}{T} \log L(\theta) \quad (15)$$

$$-\frac{1}{T} \sum_{t=1}^T \sum_{-m \leq j \leq m} \log P(W_t + j | W_t; \theta) \quad (16)$$

Furthermore, we estimate the likelihood of the context word given the primary term in Equation (17). This will be achieved by employing two sets of vectors, referred to as U_w and V_w , to represent each word. U_w is used when w is part of the context; V_w is used when w is the main idea of the phrase. The following form will emerge from including these two vectors in our probability computation for the context word c and the center word o .

$$P(O = o | C = c) = \frac{\exp(U_o^T V_c)}{\sum_{w \in \text{Vocab}} \exp(U_w^T V_c)} \quad (17)$$

We will use the gradient descent technique in Equations (18) and (19) to gradually change all the weights to reach the highest likelihood. We will be able to identify the path we need to take in order to update the weights by taking into account the derivative of our loss function concerning both U and V .

$$\frac{\partial}{\partial V_c} \exp(\log \exp(\exp(U_o^T V_c))) \quad (18)$$

$$\frac{\partial}{\partial V_c} \exp(U_w^T V_c) = U_o \quad (19)$$

The following equation results from moving the derivative of $\log(x)$ inside the summation. Take the derivative of $\log(x)$ to proceed to the second half of the problem (20). To take the derivative of the term $\exp(x)$ and change the sign of the sum, add Equation (21). If we carefully study Equations (20) and (21), we will see that the term in the summation is the same as the probability term we previously discussed. After obtaining Equation (22), we will incorporate these data in Equation (23).

$$\frac{1}{\sum_{w=1}^v \exp(U_w^T V_c)} \sum_{x=1}^v \frac{\partial}{\partial V_c} (U_x^T V_c) \quad (20)$$

$$\sum_{x=1}^v \frac{\exp(U_x^T V_c)}{\sum_{w=1}^v \exp(U_w^T V_c)} * U_x \quad (21)$$

$$\sum_{x=1}^v P(x|c) * U_x \quad (22)$$

$$\frac{\partial j(\theta)}{\partial V_c} = -u_o + \sum_{x=1}^v P(x|c) * u_x \quad (23)$$

Using the same methodology, we can also determine the derivative of $J(\theta)$ to U_w . U_w will have two distinct applications: one for situations in which the word w is present in the context and another for situations in which it is absent. In either case, the derivatives' output will equal Equations (24) and (25).

$$w \neq O \quad \frac{\partial j(\theta)}{\partial u_w} = \sum_{x=1}^v P(x|c) * V_c \quad (24)$$

$$w = O \quad \frac{\partial j(\theta)}{\partial u_w} = V_c + \sum_{x=1}^v P(x|c) * V_c \quad (25)$$

3.5. Convolution Neural Network (CNN)

In order to predict the emotion and sentiment analysis class based on text input, our model is based on two feature learners, CNN and LSTM. CNN is a popular ANN architecture used for image classification and object detection. However, it also works well in NLP, and recommender systems explained in Algorithm 1, which illustrates the full proposed algorithm for ED and SA from Urdu texts.

Algorithm 1: Proposed Methodology

Input: Dataset Frames (DF)
Output: Emotion and Sentiment Analysis
Begin
Procedure Data_Gen (Multiple sources)
 data \leftarrow scrap_data (Sources)
 if (dataset \neq empty)
 if (data == space)
 then text \leftarrow split(data)
 if ((text == limit-length
 then sentence \leftarrow text
 Else
 drop(text)
 Return
Procedure process annotation ()
 url \leftarrow website_url
 ED or SA \leftarrow labels Assign
 Return sentence
Procedure (Df)using in Sequence CNN
 for each T \in sentence **do**
 Df \leftarrow Nt (sentence)
 Ut \leftarrow DR(Df)
 ED or SA \leftarrow CNN (word2vec or Tfidf or CV(T))
 Return Feature
Procedure classification LSTM
 for each T \in sentence **do**
 Feature \leftarrow Classification
 Return Emotion
End

The main reason for using CNN is that it automatically extracts useful features from input data, as shown in Equations (26) and (27). We used 300 numbers filters and stride 1 for the CNN layer and then apply global average pooling in the pooling layer, which is more significant and understandable. By using more robust local modelling, it ensures that feature maps correspond to their respective categories. Furthermore, we pass the resultant feature to the LSTM classifier.

$$x_j^i = f(\sum_{i \in M_j} x_i^{1,1} * k_{ij}^1 + b_j^1) \quad (26)$$

$$x_j^i = f(B_j^1 \text{ down } (x_j^{1,1}) + b_j^1) \quad (27)$$

3.6. Long Short-Term Memory

Long short-term memory (LSTM) is an emerging variation of the RNN model that is frequently used to overcome overflow or vanishing error gradients and capture long-term dependencies. By controlling the error gradient with its gates, LSTM can get around this issue. The LSTM is represented mathematically in Equations (28)–(34) as follows:

$$h_t = f(W * t + U h_{t-1} + b) \quad (28)$$

$$I_t = \sigma(W_i * t + U_i h_{t-1} + b_i) \quad (29)$$

$$f_t = \sigma(W_f * t + U_f h_{t-1} + b_f) \quad (30)$$

$$O_t = \sigma(W_o * t + U_o h_{t-1} + b_o) \quad (31)$$

$$g_t = \sigma(W_g * t + U_g h_{t-1} + b_g) \quad (32)$$

$$c_t = (f_t \ominus c_{t-1} + i_t \ominus g_t) \quad (33)$$

$$h_t = (o_t \ominus \tanh(c_t)) \quad (34)$$

The overall result of the LSTM component, which serves as the input for SOFTMAX, is taken to be h_{64} . When the signal has gone through the SOFTMAX, the category decision is given as a probability, as shown in Equation (35).

$$S(c_i) = \frac{\exp(c_i)}{\sum_j \exp(c_j)} \quad (35)$$

3.7. Optimization Algorithm

Successful implementation of a deep neural network model depends on the optimization algorithm [32–35]. Accurate global optimal solutions can be found using an effective optimization method in a short time, and connected neurons' weight matrixes can be reliably updated. The optimization algorithm's main objective is to discover the global optimal solution via gradient descent in neuron backpropagation and update neuron connection weight; these two tasks constitute the bulk of the algorithm's processing time. Adadelta, RMSprop, Adam, Stochastic Gradient Descent (SGD), Adamax, etc., are all examples of popular optimization algorithms. Algorithm 2 depicts the Adam optimization process, which the proposed model uses.

Algorithm 2: Optimization Process

Input

Step length α ;

Erate $\leftarrow \beta_1, \beta_2 \in [0, 1)$;

Rf $\leftarrow \mu(\tau)$;

Ip $\leftarrow \tau_0$

Begin

t equal of 0

While t_0 not meet

$t = t + 1$;

Calculatedtime $\leftarrow t$: $gt = \nabla \tau \mu t(\tau t + 1)$

Udeviation $\leftarrow \lambda t = \beta_1 \cdot \lambda t - 1 + (1 - \beta_1)$

renovate: $\tau t = \tau t - 1 - (\alpha / (1 - \beta t)) * \lambda t / ut$

Return τt

Output parameters τt

End

4. Results and Discussion

Table 7 displays the experimental dataset's specific parameters, including batch size, sentence length and Dropout value. The experiment's server hardware environment consists of a Windows 8.1 operating system, an HP Nvidia graphics card 7370 with 8 GB of memory, and a 1 TB hard drive.

Table 7. Experimental Parameter Setup.

Parameters	Values	Parameter	Value
Batch-size	128	Sentence length	70
Convolution window-size	3-4-5	Word vector dimension	300
LSTM Hidden Number	256	Number of convolution kernels	256
Learning rate	0.0001	Activation function	SoftMax

4.1. Evaluation Criteria

Accuracy, precision, recall, and F1- score are the indicators the proposed model uses to evaluate the outcomes of the classification of ED and SA samples. Respectively, accuracy is the term of the evaluation metric used to measure overall performance. The above-described evaluation criteria can be broken down into four distinct categories: True Positives (TP), True Negatives (TN), False Positives (FP), and False Negatives (FN).

The number of samples with positive emotions that were accurately identified as positive samples is denoted by the acronym TP. In contrast, the number of samples with negative emotions mistakenly predicted as positive samples is indicated by the term FP. According to TP, FP, TN is the percentage of negative-emotion samples that were correctly projected to be negative, whereas FN represents the number of positive-emotion samples that were incorrectly predicted to be negative. Furthermore, the performance matrix for the evaluation criteria Equation (36) calculates accuracy as the percentage of correctly predicted outcomes as follows:

$$\text{Accuracy} = \frac{TP + TN}{TP + TN + FN + FP} * 100 \quad (36)$$

Equation (37) calculates precision as the percentage of text that was accurately classified into this category out of all text that was classified into this category.

$$\text{Precision} = \frac{TP}{TP + FP} * 100 \quad (37)$$

Equation (38) calculates recall, which is the percentage of texts correctly assigned to this category across all texts in this category:

$$\text{Recall} = \frac{TP}{TP + FN} * 100 \quad (38)$$

The F1-score is an indicator of the accuracy of a test, and it is derived from the precision and recall using Equation (39):

$$\text{F1 - score} = 2 * \frac{\text{Precision} * \text{Recall}}{\text{Precision} + \text{Recall}} \quad (39)$$

4.2. Corpus Statistics

As mentioned earlier, we developed a sentiment analysis corpus and an emotion detection base corpus. Our emotion detection corpus has 1021 annotated sentences, while our sentiment analysis collection has 20,251 samples. In addition, Table 8 comprehensively summarises our original cleaned and tagged corpus in terms of sentence counts. Furthermore, it displays the combined frequency of the labelled corpora for emotion detection and sentiment analysis. After completing the annotation process, we set a different count of samples that belonged to each of the distinct emotions.

Table 8. Emotion Detection and Sentiment Analysis Dataset Description in terms of Sentence Count.

Emotion Detection		Categories Statistic	
Emotion Sentences	1021	Emotions Number	6
Total words in emotion	6822	Happy	227
		Sad	172
Unique word count in emotion	2149	Anger	213
		Love	187
Average words in a sentence	18	Fear	173
		Neutral	248

Table 8. Cont.

Emotion Detection		Categories Statistic	
Emotion Sentences	1021	Emotions Number	6
Sentiment Analysis		Categories statistic	
Count of total sentences for sentiment analysis	20,251	Positive	8928
The average number of words in a sentence for sentiment analysis	16	Negative	6016
Unique word count in sentiment analysis	42,684	Neutral	5290
Total words		268,819	

4.3. Model Results on Epoch

A DL epoch approach is a full iteration that involves moving all of the training data in both the forward and the backward direction during the process. The experiment is built on the CNN-LSTM model. Every other parameter stays the same, with the exception of Tf-idf, count vectorization, and word2vec; the epoch parameters are the only ones that change. Figure 4 illustrates the training accuracy of the emotion detection algorithm across a number of epochs.




Figure 4. Comparison of Training and Testing Sets Results for Emotion Detection with Different Epochs.

As can be observed in Figure 4, as the epoch grows, the training set's accuracy in the text emotion detection task keeps getting better, while it decreases and subsequently increases for the test set shown by the dotted line in Figure 4. The test set accuracy peaks when the 35 epoch is trained for CNN-LSTM Word2Vec, then declines, presumably because of overfitting at the start of training. It can be stated that the outcomes of text emotion analysis are affected by either having too many or too few epoch values. The ideal results will not be reached if there are not enough epochs; however, if there are an excessive number of epochs, the model will end up overfitting the training data and will have a bad performance on the test set.

Figure 5 illustrates our second task: train and test our sentiment analysis dataset to obtain acceptable accuracy over several epochs. The training set's accuracy in the SA task improves over the epoch, similar to the prior aim, as seen in Figure 4, while it also declines

and then increases for the test set denoted by the dotted line in Figure 5. The test set accuracy peaks when the 50 epoch is trained for CNN-LSTM Word2Vec.




Figure 5. Training and Testing Comparison Results Sets for Emotion Detection with Different Epochs.

As a result, the value of epoch is crucial for assessing the model's effectiveness; based on the findings of the experiments, an epoch is set to 35 for emotion detection, and for sentiment analysis, it is set to 50. The model is now performing analysis in an optimal manner.

4.4. Experimental Results Dropout Value

Dropout involves the removal of some neurons and the subsequent updating of the weight and bias terms in the remaining neurons throughout forward and reverse propagation. After that, neurons are removed using a probability that has been previously determined, the weight and bias term is adjusted, and the procedure is repeated until the NN is properly trained. The dropout value is changed under the assumption that all other parameters remain the same. Figure 6 displays the accuracy outcomes of the proposed models for the emotional detection and sentiment analysis dataset.




Figure 6. Comparison of Results with Dropout Values for Emotion Detection and Sentiment Analysis.

Figure 6 indicates that when employing the CNN-LSTM Word2Vec model, both the accuracy for emotion detection (95%) and the accuracy for sentiment analysis (93.3%) are at their highest (with a dropout value of 0.3). The accuracy performance is poor when the dropout number is either high or excessively low. This is because it is simple to slide into overfitting when training involves too many neurons and the dropout value is too low. When dropout is too high, too many neurons are left, which causes underfitting. As a result, in the subsequent comparative experiment, the dropout value of the model provided is set to 0.3. the dropout of each comparative experiment is adjusted several times, and the best experimental data are picked, as shown in Table 9.

Table 9. Achieved Accuracy using Dropout values.

Emotions	Dropout Value	Algorithm	Techniques	Accuracy	Precision	Recall	F1-Score
Emotion Detection	0.3	CNN-LSTM	BOW	89%	90%	88%	89%
	0.2		TF-IDF	87%	88%	86%	87%
	0.3		Word2Vec	95%	94%	96%	95%
Sentiment Analysis	0.5	CNN-LSTM	BOW	84%	81%	84%	83%
	0.6		TF-IDF	85%	81%	86%	84%
	0.3		Word2Vec	93.3%	94%	93%	93%

4.5. Comparison of Training Results with Other Algorithms

The proposed model integrates CNN and LSTM to improve each individual's strengths. Due to its ability to better consider past and future data, LSTM outperforms competing algorithms in emotion detection and sentiment analysis. Figure 7 shows the CNN-LSTM Word2Vec model's accuracy compared to CNN, LSTM, RNN, and ANN models. Experimental findings for ED and SA datasets show that the proposed model achieved higher accuracy than other models, about 95% for ED and 93.3% for SA, demonstrating its feasibility.




Figure 7. Proposed Method Results Compare some Machine Learning Fundamental Algorithms.

4.6. Comparative Analysis

The statistics of the experimental results are shown in Table 10. the suggested model can be compared and contrasted with the models in references [19,30] and [17] in order to show how well it performs. According to the table, the proposed model has the highest analysis performance, with an overall analysis accuracy of 95% in emotion detection and 93.3% in sentiment analysis.

Table 10. Comparative Analysis with Previous Work.

Emotion Detection					
Reference	Algorithm	Accuracy	Precision	Recall	F1-Score
Ref [19]	Bi-LSTM	85%	84%	87%	85%
Ref [36]	Deep-EmoRU	82%	84%	82%	83%
Proposed	CNN-LSTM	95%	94%	96%	95%
Sentiment Analysis					
Ref [24]	KNN (IBK)	67%	68%	67%	67%
Ref [37]	Urdu Sentiment	89%	86%	90%	88%
Proposed	LSTM-CNN	93.3%	94%	93%	93%

5. Conclusions

The network environment is becoming more complex as the volume of information increases. Research into emotion detection and sentiment analysis has been a priority in the field of natural language processing because of its relevance to the understanding of public opinion. As a result, at this point, accurate emotion detection and sentiment analysis have the significant scientific value given the ongoing advancement of artificial intelligence. Aiming the problem's emotion detection and sentiment analysis in English and Chinese has received a lot of attention in the last decade, but poor-resource languages such as Urdu have been mostly disregarded, which is the primary focus of this research. Additionally, due to the lack of a publicly accessible corpus, most low-level language problems, such as existing deep learning methods in ED and SA have poor analytical accuracy. To develop the CNN-LSTM model, the proposed model combines LSTM and CNN. This is because the LSTM hidden layer depends on the outcomes of the previous period, whereas CNN obtains deep features. Thus, the accuracy is improved based on the corpus collected for emotion detection and sentiment. As a result, the accuracy is enhanced using the corpus collected for sentiment and emotion detection. In the future, we will propose replacing the LSTM with a bidirectional BiLSTM network to improve the model's analytical efficiency.

Author Contributions: Conceptualization, F.U., X.C., S.B.H.S. and M.A.H.; methodology, F.U. and M.A.H.; software, F.U., S.M. and M.A.H.; validation, F.U., N.S. and M.A.H.; formal analysis, F.U., X.C. and M.A.H.; investigation, F.U., N.S. and M.A.H.; resources, F.U. and M.A.H.; data curation, F.U., N.S., S.M. and M.A.H.; writing—original draft preparation, F.U., S.B.H.S. and M.A.H.; writing—review and editing, F.U., S.B.H.S. and M.A.H.; visualization, F.U. and M.A.H.; supervision, X.C., N.S. and M.A.H.; project administration, F.U., X.C., S.M. and M.A.H.; funding acquisition, S.B.H.S. and S.M. All authors have read and agreed to the published version of the manuscript.

Funding: This Study was funded by the Vice presidency for Graduate Studies, Business and Scientific Research (GBR) at Dar Al Hekma University, Jeddah Saudi Arabia. The authors extend their sincere gratitude and thank to Dar Al Hekma University for its support.

Data Availability Statement: All Numerical and graph is available in the manuscript and dataset will be provided on request.

Conflicts of Interest: The authors declare no conflict of interest.

References

- Bozkurt, E.; Yemez, Y.; Erzin, E. Multimodal analysis of speech and arm motion for prosody-driven synthesis of beat gestures. *Speech Commun.* **2016**, *85*, 29–42. [\[CrossRef\]](#)
- Smetanin, S. EmoSense at SemEval-2019 Task 3: Bidirectional LSTM Network for Contextual Emotion Detection in Textual Conversations. In Proceedings of the 13th International Workshop on Semantic Evaluation, Minneapolis, MN, USA, 6–7 June 2019. [\[CrossRef\]](#)
- Costantini, G.; Iaderola, I.; Paoloni, A.; Todisco, M. EMOVO Corpus: An Italian Emotional Speech Database—ACL Anthology. In Proceedings of the Ninth International Conference on Language Resources and Evaluation (LREC'14), Reykjavik, Iceland, 26–31 May 2014.
- Bestgen, Y. CECL at SemEval-2019 Task 3: Using Surface Learning for Detecting Emotion in Textual Conversations. In Proceedings of the 13th International Workshop on Semantic Evaluation, Minneapolis, MN, USA, 6–7 June 2019. [\[CrossRef\]](#)
- Dougnon, R.; Fournier-Viger, P.; Lin, J.; Nkambou, R. Accurate Online Social Network User Profiling. In *KI 2015: Advances in Artificial Intelligence*; Joint German/Austrian Conference on Artificial Intelligence (Künstliche Intelligenz), Lecture Notes in Computer Science; Springer: Cham, Switzerland, 2015; pp. 264–270. [\[CrossRef\]](#)
- Raj, E.; Manogaran, G.; Srivastava, G.; Wu, Y. Information Granulation-Based Community Detection for Social Networks. *IEEE Trans. Comput. Soc. Syst.* **2021**, *8*, 122–133. [\[CrossRef\]](#)
- Keltner, D. Ekman, emotional expression, and the art of empirical epiphany. *J. Res. Personal.* **2004**, *38*, 37–44. [\[CrossRef\]](#)
- Plutchik, R. A General Psychoevolutionary Theory of Emotion. *Theor. Emot.* **1980**, 3–33. [\[CrossRef\]](#)
- Yadollahi, A.; Shahraki, A.; Zaiane, O. Current State of Text Sentiment Analysis from Opinion to Emotion Mining. *ACM Comput. Surv.* **2018**, *50*, 1–33. [\[CrossRef\]](#)
- Zahid, R.; Idrees, M.; Mujtaba, H.; Beg, M. Roman Urdu reviews dataset for aspect-based opinion mining. In Proceedings of the 35th IEEE/ACM International Conference on Automated Software Engineering Workshops, Melbourne, Australia, 21–25 September 2020. [\[CrossRef\]](#)
- Herzig, J.; Shmueli-Scheuer, M.; Konopnicki, D. Emotion Detection from Text via Ensemble Classification Using Word Embeddings. In Proceedings of the ACM SIGIR International Conference on Theory of Information Retrieval, Amsterdam, The Netherlands, 1–4 October 2017. [\[CrossRef\]](#)
- Majeed, A.; Mujtaba, H.; Beg, M. Emotion detection in Roman Urdu text using machine learning. In Proceedings of the 35th IEEE/ACM International Conference on Automated Software Engineering Workshops, Melbourne, Australia, 21–25 September 2020. [\[CrossRef\]](#)
- Ali, R.; Farooq, U.; Arshad, U.; Shahzad, W.; Beg, M. Hate speech detection on Twitter using transfer learning. *Comput. Speech Lang.* **2022**, *74*, 101365. [\[CrossRef\]](#)
- Crowston, K.; Allen, E.; Heckman, R. Using natural language processing technology for qualitative data analysis. *Int. J. Soc. Res. Methodol.* **2012**, *15*, 523–543. [\[CrossRef\]](#)
- Bestgen, Y. Recherche d'indices lexicosyntaxiques de segmentation et de liage par une analyse automatique de corpus. *Discours* **2019**, *25*. [\[CrossRef\]](#)
- Durrani, S.; Arshad, U. Transfer learning from High-Resource to Low-Resource Language Improves Speech Affect Recognition Classification Accuracy. *arXiv* **2021**, arXiv:2103.11764.
- Hasan, M.; Rundensteiner, E.; Agu, E. Automatic emotion detection in text streams by analyzing Twitter data. *Int. J. Data Sci. Anal.* **2018**, *7*, 35–51. [\[CrossRef\]](#)
- Ashraf, N.; Khan, L.; Butt, S.; Chang, H.; Sidorov, G.; Gelbukh, A. Multi-label emotion classification of Urdu tweets. *PeerJ Comput. Sci.* **2022**, *8*, e896. [\[CrossRef\]](#)
- Bashir, M.; Javed, A.; Arshad, M.; Gadekallu, T.; Shahzad, W.; Beg, M. Context Aware Emotion Detection from Low Resource Urdu Language using Deep Neural Network. *ACM Trans. Asian Low-Resour. Lang. Inf. Process.* **2022**. [\[CrossRef\]](#)
- Javed, A.; Beg, M.; Asim, M.; Baker, T.; Al-Bayatti, A. AlphaLogger: Detecting motion-based side-channel attack using smartphone keystrokes. *J. Ambient. Intell. Humaniz. Comput.* **2020**. [\[CrossRef\]](#)
- Javed, T.A.; Shahzad, W.; Arshad, U. Hierarchical Text Classification of Urdu News using Deep Neural Network. *arXiv* **2021**, arXiv:2107.03141.
- Khalid, U.; Beg, M.O.; Arshad, M.U. Bilingual Language Modeling, A transfer learning technique for Roman Urdu. *arXiv* **2021**, arXiv:2102.10958.
- Noor, F.; Bakhtyar, M.; Baber, J. Sentiment Analysis in E-commerce Using SVM on Roman Urdu Text. In *Lecture Notes of the Institute for Computer Sciences, Social Informatics and Telecommunications Engineering*; Springer: Berlin, Germany, 2019; pp. 213–222. [\[CrossRef\]](#)
- Mukhtar, N.; Khan, M. Urdu Sentiment Analysis Using Supervised Machine Learning Approach. *Int. J. Pattern Recognit. Artif. Intell.* **2017**, *32*, 1851001. [\[CrossRef\]](#)
- Yang, S.; Li, S.; Zheng, L.; Ren, X.; Cheng, X. Emotion mining research on micro-blog. In Proceedings of the 2009 1st IEEE Symposium on Web Society, Lanzhou, China, 23–24 August 2009; pp. 71–75.
- Shoaib, M.; Hassan, M. Opinion within opinion: Segmentation approach for sentiment analysis. *Int. Arab J. Inf. Technol.* **2018**, *15*, 21–28.

27. Ghulam, H.; Zeng, F.; Li, W.; Xiao, Y. Deep learning-based sentiment analysis for roman urdu text. *Procedia Comput. Sci.* **2019**, *147*, 131–135. [[CrossRef](#)]
28. Arif, H.; Munir, K.; Danyal, A.S.; Salman, A.; Fraz, M.M. Sentiment analysis of roman urdu/hindi using supervised methods. *Proc. ICICC* **2016**, *8*, 48–53.
29. Azam, N.; Tahir, B.; Mehmood, A. Sentiment and emotion analysis of text: A survey on approaches and resources. In Proceedings of the 7th International Conference on Language and Technology Pakistan, UET, Lahore, Pakistan, 19–21 February 2020.
30. Khan, L.; Amjad, A.; Afaq, K.M.; Chang, H.-T. Deep sentiment analysis using CNN-LSTM architecture of English and Roman Urdu text shared in social media. *Appl. Sci.* **2022**, *12*, 2694. [[CrossRef](#)]
31. Truică, C.-O.; Apostol, E.-S.; Șerban, M.-L.; Paschke, A. Topic-based document-level sentiment analysis using contextual cues. *Mathematics* **2021**, *9*, 2722. [[CrossRef](#)]
32. Huang, C.; Zhou, X.; Ran, X.; Liu, Y.; Deng, W.; Deng, W. Co-evolutionary competitive swarm optimizer with three-phase for large-scale complex optimization problem. *Inf. Sci.* **2023**, *619*, 2–18. [[CrossRef](#)]
33. Chen, H.; Miao, F.; Chen, Y.; Xiong, Y.; Chen, T. A hyperspectral image classification method using multifeature vectors and optimized Kelm. *IEEE J. Select. Top. Appl. Earth Obs. Remote Sens.* **2021**, *14*, 2781–2795. [[CrossRef](#)]
34. Yu, Y.; Hao, Z.; Li, G.; Liu, Y.; Yang, R.; Liu, H. Optimal search mapping among sensors in heterogeneous smart homes. *Math. Biosci. Eng.* **2022**, *20*, 1960–1980. [[CrossRef](#)]
35. Ren, Z.; Han, X.; Yu, X.; Skjetne, R.; Leira, B.J.; Sævik, S.; Zhu, M. Data-driven simultaneous identification of the 6DOF dynamic model and wave load for a ship in waves. *Mech. Syst. Signal Process.* **2023**, *184*, 109422. [[CrossRef](#)]
36. Majeed, A.; Beg, M.; Arshad, U.; Mujtaba, H. Deep-EmoRU: Mining emotions from roman urdu text using deep learning ensemble. *Multimedia Tools Appl.* **2022**, *81*, 43163–43188. [[CrossRef](#)]
37. Mukhtar, N.; Khan, M.; Chiragh, N. Lexicon-based approach outperforms Supervised Machine Learning approach for Urdu Sentiment Analysis in multiple domains. *Telemat. Inform.* **2018**, *35*, 2173–2183. [[CrossRef](#)]